




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : <b>H04Q 7/38</b>		A1	(11) International Publication Number: <b>WO 00/69201</b>
			(43) International Publication Date: 16 November 2000 (16.11.00)
(21) International Application Number: PCT/EP00/03414		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 14 April 2000 (14.04.00)			
(30) Priority Data: 9910363.2 6 May 1999 (06.05.99) GB 60/156,148 27 September 1999 (27.09.99) US			
(71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE).			
(72) Inventors: LUNDSTRÖM, Johan; Storgårdsgatan 5, FIN-21600 Pargas (FI). MATILA, Leena; Menninkäisenkatu 7 A 1, FIN-20540 Turku (FI). HOISKO, Esa; Maijanpellontie 12, FIN-21420 Lieto (FI). NILSSON, Patrik; Kellonsoittajankatu 8 B 9, FIN-20500 Turku (FI). MARTLEW, Paul; 34 Selwood Rd, Kingfield, Woking, Surrey (GB).			
(74) Agent: LIND, Robert; Marks & Clerk, 4220 Nash Court, Oxford Business Park South, Oxford, Oxfordshire OX4 2RU (GB).		<p><b>Published</b></p> <p><i>With international search report.</i></p> <p><i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	

(54) Title: TARIFF DETERMINATION IN MOBILE TELECOMMUNICATION NETWORKS



## (57) Abstract

A method of determining a total call tariff in respect of a call from a Mobile Station currently registered with a foreign network. A total call tariff request is sent from a charging function (7) of the foreign network (2) to a rating node (8) of the mobile telephone subscriber's home network (1), the message including a call tariff portion of the foreign network (2). At the rating node (8), the total call tariff is determined by applying a multiplying factor to the foreign network's tariff portion. The determined total call tariff is then sent to the charging function (7) of the foreign network (2).

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## TARIFF DETERMINATION IN MOBILE TELECOMMUNICATION NETWORKS

### Field of the Invention

5

The present invention relates to call tariff determination in mobile telecommunication networks and more particularly to the determination of call tariffs for provision to an access network in respect of a mobile telephone subscriber.

### 10 Background to the Invention

In today's competitive mobile telephone market, in order to attract new customers, operators are operating a diverse range of payment options. In addition to the conventional payment scheme where a subscriber is billed regularly for telephone calls made over a period immediately preceding the issuing of a bill, there is for example the prepaid card schemes where a user purchases a card and then uses a secret number provided on the card to top-up an account maintained by his operator. The user is able to make and receive calls until such time as the balance in his account falls to zero. The account must be topped-up using a new prepaid card before the user can make and receive calls once more. Many new services are also being introduced by mobile telephone operators to attract new customers as well as to maintain their existing customer base. One such service, which is in limited current use, is known as "Advice of Charge" and allows mobile telephone's to be provided with call charge information during the call set-up phase to enable call charges to be computed by the telephone either during or after a call.

In a typical GSM/GPRS mobile telecommunications network, there is present a rating node or Charging Control Node (CCN) which maintains details of the tariffs charged by the operator for the complete range of call options (e.g. home mobile telephone to home mobile telephone, home mobile telephone to other national telephones, international tariffs, etc), and which implements a Service Control Function (SCF). The SCF of the CCN may communicate with a Service Switching Function (SSF) associated with the Mobile Switching Centre (MSC) serving a Mobile Station, in order to transfer

tariff determining information in one direction (i.e. from the MSC/SSF to the CCN) and determined tariffs in the other direction.

5 Providing that a subscriber's telephone is registered with his home network, there is in principle no bar to providing services such as Advice of Charge and to controlling and monitoring in real time prepaid card subscribers and the like, as all the necessary information is available at the home network's CCN (or can be readily obtained by that node). Problems arise however when a mobile telephone subscriber is not at home but rather is registered with some foreign mobile telephone network (the term "access"  
10 network is used below to describe the network to which a subscriber is directly connected).

Such a foreign access network should be able to determine real time charging information for a roaming subscriber if prepaid subscribers are to be allowed to roam, or  
15 if services such as Advice of Charge are to be available to roaming subscribers. Indeed this may be necessary whenever subscribers have a credit ceiling that must not be exceeded. However, the foreign network SSF does not necessarily know the call tariff to be applied by the subscriber's home network nor does the home network necessarily know the tariff to be applied by the foreign network (it is the home network which has  
20 overall control of billing operations for its own subscribers). It is not realistic to expect every charging node in every network to be provided with a comprehensive list of caller tariffs applied by other network operators, as tariffs quickly become outdated and/or operators are not be willing to provide their own call tariffs to their competitors.

25 One solution to the above problem which has been proposed is to provide every network with one or more so-called "rating nodes" (for example Service Control Functions) which knows the tariffs of the network to which they belong. When a roaming subscriber initiates a call using a foreign network as the access network, the responsible SSF of the access network contacts a rating node of the subscriber's home  
30 network to obtain the home network's tariff for the call in question. This tariff is then returned to the SSF of the access network to enable it to calculate real time charging data.

A limitation of this proposed solution is that the rating node of the subscriber's home network does not know the tariff that the foreign network will apply to the call (this information is only provided to the home network after termination of the call). Thus, the real time charging information generated at the SSF of the foreign network will be an estimate, based only upon the tariff of the home network and will not correspond to the actual tariff applied to the call (and upon which the subscriber's telephone bill will be based).

### Summary of the Invention

It is an objective of the present invention to overcome or at least mitigate the above noted disadvantages of existing and currently proposed solution of providing a real time or near real time call charging information to a foreign network which is acting as an access network for a roaming mobile subscriber.

According to a first aspect of the present invention there is provided a method of determining a total call tariff in respect of a call from a Mobile Station currently registered with a foreign network, the method comprising the steps of:

sending a total call tariff request from a charging function of the foreign network to a rating node of the mobile telephone subscriber's home network, said message including a call tariff portion of the foreign network;

at the rating node, determining said total call tariff on the basis of the foreign network tariff portion and a call tariff or charge factor of the home network; and

returning the determined total call tariff to the charging function of the foreign network.

Embodiments of the present invention provide a relatively easy and straightforward way of providing total call tariff information to a foreign network, which information represents the true tariff to be used by a subscriber's home network. In these embodiments, the home network retains control of the charging operation and furthermore there is no need for the home network to disclose complete details of its charging formula to the foreign network.

Preferably, the rating node applies a multiplier to the received foreign network's tariff portion in order to determine the total tariff.

Preferably, the sending of said total call tariff request from the charging function of the foreign network is triggered by receipt at the foreign network of an Address Complete Message (ACM) which is a response to the initiation of a call by the Mobile Station. The sending of subsequent call tariff requests may be triggered by receipt at the foreign network of external charging information. More preferably, the determined call tariff is available at the charging function of the foreign network when an Answer Message (ANM) is received at the foreign network.

Preferably, the charging function of the foreign network is a Service Switching Function (SSF). The SSF may be a stand-alone node, or may be co-located with an MSC of the foreign network. Preferably, the rating node of the home network is a Charging Control Node.

More preferably, said ACM and ANM are received by the serving VMSC/SSF.

Preferably, the method of the present invention is implemented using the CAMEL mechanism and the CAMEL Application Part (CAP) protocol.

The present invention is applicable in particular to GSM telecommunications networks, both in respect of circuit switched and packet switched calls. The invention is also applicable to other telecommunications systems including UMTS.

Preferably, said call tariff portion of the foreign network relates in whole or in part to network based number translation services. Preferably, said call tariff or charge factor of the home network relates to subscribed services, subscribed dialled services, and/or charging services.

According to a second aspect of the present invention there is provided apparatus for determining a total call tariff in respect of a call from a mobile telephone subscriber currently registered with a foreign network, the apparatus comprising means for sending

a total call tariff request from a charging function of the foreign network to a rating node of the mobile telephone subscriber's home network, the message including a call tariff portion of the foreign network, means for determining at a rating node of the home network the total call tariff on the basis of the received foreign network's tariff portion and a call tariff or charge factor of the home network, and means for returning said total call tariff to the charging function of the foreign network.

#### Brief Description of the Drawings

10 For a better understanding of the present invention and in order to show how the same may be carried into effect reference will now be made, by way of example, to the accompanying drawings, in which;

Figure 1 illustrates schematically a telecommunication system;

15 Figure 2 is a flow diagram illustrating a caller tariff determination method used in the system of Figure 1;

Figures 3 to 6 illustrate schematically a detailed implementation of the caller tariff determination method of Figure 2; and

Figure 7a and 7b illustrates the method steps of Figures 3 to 6.

#### Detailed Description of Certain Embodiments

20

There is illustrated in Figure 1 a telecommunications system comprising a number of mobile telephone networks 1, 2. A first of the networks 1 is a mobile telephone network (e.g. using the GSM standard) and represents a home network (HPLMN) to which a notional mobile telephone user subscribes. The network 1 is therefore responsible for charging this notional subscriber either by way of issuing bills for previous calls made, or by debiting a prepaid account held by the subscriber.

Figure 1 also shows a second mobile telephone network 2 and a Mobile Station 3 owned by the notional subscriber (it is assumed that the subscriber has inserted his Subscriber Identity Module (SIM) card into the telephone). Assuming that the subscriber has left his HPLMN 1 and has roamed into the coverage area of the foreign network 2 (VPLMN), the Mobile Station 3 registers with a Mobile Switching Centre (MSC) of the VPLMN 2 using the information stored in the SIM card. Subsequently, in order to set

up a call, the Mobile Station 3 makes contact with the MSC 4 of the VPLMN via a Base Station 5 and a Base Station Controller 6. The MSC 4 of the VPLMN network is referred to as the Visited MSC (VMSC). The VMSC 4 controls the routing of a call from the Mobile Station 3 to a called B-number (or B-subscriber) and in addition  
5 implements a Service Switching Function (SSF) 7. The function of the SSF 7 is to collect charging information during a call and to relay this information to a charging node (not shown) of the HPLMN 1 following termination of the call (charging information may also be sent to the HPLMN and or to the Mobile Station during a call). The VPLMN's SSF 7 maintains the call tariffs applied by the foreign network 2 for a  
10 variety of calls, e.g. local, national, and international (alternatively the SSF 7 may obtain these from a rating node of the VPLMN).

A "rating node" 8 (also referred to as the Charging Control Node (CCN)) is provided in the subscriber's HPLMN 1 and maintains details of the tariffs of the HPLMN operator.  
15 Typically, the HPLMN has a single rating node 8 centrally located within the HPLMN 1. The rating node 8 maintains a database containing formulae for computing tariffs of the home network 1. In addition, the rating node 8 implements the functionality of an SCF in order to allow the CCN to exchange tariffs and tariff related information with SSFs.

20 When the Mobile Station 3 initiates a call, the MSC 4 of the VPLMN sets up the call connection to the dialled B-number via a Gateway MSC (GMSC) 9. In addition, the SSF 7 identifies the tariff  $t_1$  upon which the foreign network 2 will base its charge. The SSF 7 then sends to the SCF running at the home network's rating node 8, via an SS7  
25 signalling network 10 (or some other network such as an IP based network), a request for the total call tariff which the subscriber's HPLMN 1 will apply to the call initiated by the Mobile Station 3. This request includes both the dialled B-number in addition to the call tariff  $t_1$  of the VPLMN 2. At the HPLMN's rating node 8, a total tariff  $t_2$  is computed based on the tariff  $t_1$  (and possibly the dialled B-number). Assuming for  
30 example that the HPLMN determines from the B-number and the current location of the subscriber that it will levy an administrative fee of 5% over and above the call tariff of the VPLMN, as well as a 22% VAT element. The HPLMN will multiply the VPLMN's tariff  $t_1$  by a factor of 1.27 to obtain the total tariff  $t_2$ . The SCF running at the rating



node 8 then returns the total tariff  $t_2$  to the SSF 7 of the VMSC 4 in an appropriate message. This message, and the total tariff enquiry message, may be sent in GSM networks using the CAMEL mechanism (CAMEL Application Protocol CAP) or the INAP protocol.

5

After the SSF 7 of the VMSC 4 has received the total call tariff  $t_2$ , the call connection between the Mobile Station 3 and the called B-subscriber is completed. As already noted, the call tariff  $t_2$  may be used either to provide real time Advice of Charge to the subscriber, where the cost incurred so far (or total cost) is displayed on a display of the subscriber's Mobile Station 3, or to debit a prepaid account of the subscriber. In the latter case, the subscriber's HPLMN 1 may forward to the SSF 7 of the VMSC 4, together with the total call tariff  $t_2$ , such information as is necessary to allow VMSC 4 to monitor in real time the connected time or charge incurred by the party using Mobile Station 3 and to provide relevant feedback information to the Cost Control Node 8 residing in HPLMN 1. This allows the accurate debiting of the subscriber's prepaid account.

The CAMEL mechanism mentioned above allows for the sending of Charge Advice Information elements from any service running in a network to the Mobile Station 3. In the "third" phase of the CAMEL mechanism, it is proposed to allow the invocation on behalf of the VPLMN Operator of CAMEL-based Operator-Specific Services. These services shall always be invoked after the invocation of subscriber-specific services. These subscriber-specific services provide such features as post-paid real-time charging with cost control or pre-paid real-time charging to the subscriber. The subscriber services are always run in the HPLMN.

The issue arises therefore of how to indicate to a pre- or post-paid subscriber (who is provisioned with the Advice Of Charge service) the correct aggregate tariff when services invoked in the HPLMN are run in combination with services running in the VPLMN, e.g. VPLMN number translation services. In addition to this issue, there arises the question of how events occurring in the VPLMN can be relayed to the service executing in the HPLMN rating node in a manner such that the CAMEL mechanism used does not have to be expanded when new chargeable events are defined in UMTS

or GSM. There is currently no mechanism in the state of the art that allows tariff information received by the VPLMN from another external network to be relayed to the rating node in the HPLMN. Furthermore, it is not possible to relay standard GSM or UMTS charging information from the VPLMN to the HPLMN rating node in a manner that is understood by both networks, but that does not need the carrier protocol (CAMEL) to be expanded for every set of new data carried. These issues are addressed by the method described above in general terms with reference to Figures 1 and 2.

Figures 3 to 6 illustrate in more detail the internetwork signalling involved in tariff determination. It is proposed to use existing and new CAMEL Application Part (CAP) protocol to transfer tariff information between the serving network (VPLMN) and a centralised Rating Node (CCN) in the home network (HPLMN) in accordance with the following steps:

- 1) The operator of the HPLMN marks CAMEL charging as active for the subscriber in question, in the Home Location Register (HLR).
- 2) During a Location Update or Data Restoration process (MAP Update Location or Restore Data operations), the HPLMN HLR sends the originating CAMEL subscription information (O-CSI) to the VMSC/SSF of the VPLMN.
- 3) The subscriber initiates a call, e.g. by dialling the number of a B-subscriber.
- 4) The VMSC contacts the CCN of the HPLMN (using the CAP operation InitialDP), and the CCN returns a tariff (Charge Advice Information elements) to the enquiring VMSC/SSF (CAP operation SendChargingInformation). For cost control purposes CAP operation ApplyCharging is invoked by the CCN.
- 5) The CCN then sends a request to the VMSC/SSF that the VMSC/SSF notify the CCN of locally determined tariffs, or of tariffs received from external sources (new CAP operation RequestNotificationChargingEvent). The CCN also requests to be notified of Answer and Disconnection events, and instructs the VMSC/SSF to continue the call (CAP operation Continue/Connect).

6) The call is routed from the VMSC to the GMSC, and then to the external telephony network.

7) At reception of ACM, the VMSC/SSF contacts a rating node (CCN) of the VPLMN to obtain the local tariff to be applied by the VPLMN.

5

8) The local tariff information is passed to the HPLMN CCN. The CCN calculates an aggregated tariff and sends this back to the VMSC/SSF together with a charging limit (new CAP operation EventNotificationCharging and existing CAP operations SendChargingInformation and ApplyCharging). The aggregated tariff is a combination of the locally determined tariff/external  
10 tariff and the tariff generated by the CCN (as described above). The aggregated tariff and charging limit are stored in the visited VMSC (replacing the previously stored tariff).

9-11) In the event that the VMSC/SSF receives external charging information prior to receiving an Answer message (ANM) from the called B-subscriber (e.g. such charging information may be  
15 contained in a CHG message routed via the GMSC), step 8 may be repeated (as steps 10 and 11). However, repetition is optional and in most call cases will not occur (thus avoiding additional signalling between networks).

12-13) At reception of the Answer message (ANM) by the visited VMSC, the latest tariff  
20 information (Charge Advice Information elements according to GSM 02.24), which is already stored and available in the visited VMSC/SSF, is relayed to the calling party Mobile Station and the correct price information is displayed on the Station's display.

14) When a charging limit or tariff switch timer expires, this is indicated to the CCN in the  
25 HPLMN (CAP operation ApplyChargingReport) which returns a new charging limit and a new aggregated tariff (CAP operations ApplyCharging and SendChargingInformation) to the VMSC/SSF.

15) The received information is relayed by the VMSC/SSF to the Mobile Station.

30

18) Steps 14 and 15 are repeated at intervals until the call is released. Any call related events that have an impact on charging will be reported according to steps 10 and 11.

The mechanism described above (steps 1 to 18) has the advantage that the required aggregate tariff is available at the VMSC/SSF when the Answer message is received from the B-subscriber. The parties may be connected immediately, and there is no requirement for a delay whilst the appropriate tariff is determined.

5

It will be appreciated by the person of skill in the art that various modifications may be made to the above described embodiment without departing from the scope of the present invention. For example, the aggregate tariff may be determined only upon receipt of the Answer message at the VMSC/SSF. However, this will result in a possible delay as mentioned above.



10

**CLAIMS**

1. A method of determining a total call tariff in respect of a call from a Mobile Station currently registered with a foreign network, the method comprising the steps of:  
5 sending a total call tariff request from a charging function of the foreign network to a rating node of the mobile telephone subscriber's home network, said message including a call tariff portion of the foreign network;  
at the rating node, determining said total call tariff on the basis of the foreign network tariff portion and a call tariff or charge factor of the home network; and  
10 returning the determined total call tariff to the charging function of the foreign network.
2. A method according to claim 1, wherein the rating node applies a multiplier to the received foreign network's tariff portion in order to determine the total tariff.
- 15 3. A method according to claim 1 or 2, wherein the sending of said total call tariff request from the charging function of the foreign network is triggered by receipt at the foreign network of an Address Complete Message (ACM) which is a response to the initiation of a call by the Mobile Station.
- 20 4. A method according to claim 3, wherein the sending of subsequent call tariff requests is triggered by receipt at the foreign network of external charging information.
5. A method according to any one of the preceding claims, wherein the determined  
25 call tariff is available at the charging function of the foreign network when an Answer Message (ANM) is received at the foreign network.
6. A method according to any one of the preceding claims, wherein the charging function of the foreign network is a Service Switching Function (SSF).
- 30 7. A method according to claim 6, wherein the SSF is implemented in, or is in communication with, the Mobile Switching Centre (MSC) serving the MS.

8. A method according to any one of the preceding claims, wherein the rating node of the home network is a Charging Control Node.
9. A method according to any one of the preceding claims, the method being  
5 implemented using the CAMEL mechanism.
10. A method according to any one of the preceding claims, wherein said call tariff portion of the foreign network relates in whole or in part to network based number translation services.
- 10
11. A method according to any one of the preceding claims, wherein said call tariff or charge factor of the home network relates to subscribed services, subscribed dialled services, and/or charging services.
- 15
12. A method according to any one of the preceding claims and comprising sending a credit limit from the rating node to the charging function, wherein, when the charge accumulated by the Mobile Station reaches said limit, the rating node must seek a further authorisation from the rating node.
- 20
13. Apparatus for determining a total call tariff in respect of a call from a mobile telephone subscriber currently registered with a foreign network, the apparatus comprising means for sending a total call tariff request from a charging function of the foreign network to a rating node of the mobile telephone subscriber's home network, the message including a call tariff portion of the foreign network, means for determining  
25 at a rating node of the home network the total call tariff on the basis of the received foreign network's tariff portion and a call tariff or charge factor of the home network, and means for returning said total call tariff to the charging function of the foreign network.

1/7

Figure 1Figure 2

2/7




Figure 3



3/7




Figure 4




Figure 5

5/7




Figure 6

6/7





Figure 7a

7/7

Figure 7b

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 00/03414

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04Q7/38

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, INSPEC

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 98 59504 A (ERICSSON TELEFON AB L M) 30 December 1998 (1998-12-30) page 8, line 3 -page 10, line 17	1-13
A	WO 98 34393 A (NAT TELEMANAGEMENT CORP) 6 August 1998 (1998-08-06) page 2, line 26 -page 4, line 12	1-13
A	MICHAELS J M /PONTONES M E: "ACCOUNTING MANAGEMENT FOR PERSONAL COMMUNICATIONS" INTERNATIONAL CONFERENCE ON UNIVERSAL PERSONAL COMMUNICATIONS,US,IEEE, NEW YORK, NY, 27 September 1994 (1994-09-27), pages 602-606, XP000579357 page 605, right-hand column, line 12-50  -/-	1-13

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

26 September 2000

Date of mailing of the international search report

02/10/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Weinmiller, J

# INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/EP 00/03414

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 97 01942 A (MCI COMMUNICATIONS CORP) 16 January 1997 (1997-01-16) page 3, line 17 -page 5, line 23	1-13

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/03414

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9859504 A	30-12-1998	AU 7945498 A EP 0974238 A	04-01-1999 26-01-2000
WO 9834393 A	06-08-1998	US 6058300 A US 6029062 A AU 6142498 A CA 2250845 A	02-05-2000 22-02-2000 25-08-1998 06-08-1998
WO 9701942 A	16-01-1997	CA 2224604 A EP 0862840 A US 5815810 A	16-01-1997 09-09-1998 29-09-1998